

Sospesa


D42A01A00

Paolo De Lucchi - Lisa Bellon




Fixture Type

Project Name



Dimensions



Description

Pendant lamp with extra clear tempered flat glass, with a thickness of 15 mm, milled for the 12V circuit housing.

Voltage

120V

Socket

12xG4

Specs



DRY



Material

Glass - Metal

Light source

G4 12x20W Max

Color

Transparent

Notes

Power only 120Vac - dimmable

Other colors available

Check online www.fabbian.us

Included accessories

Electronic transformer

Not included accessories

Bulb

In the same family





















Wall round

Wall square

Sospesa D42


Other options

	code	electrification	technical info
	D42 A01 A 00	G4 120V	 DRY 
	D42 A15 A 00	LED 120V 12x2W-120° 3000K 1200 Cri >80	 DRY 
	D42 A03 A 00	G4 120V	 DRY 
	D42 A17 A 00	LED 120V 12x2W-120° 3000K 1200 Cri >80	 DRY 
	D42 A05 A 00	G4 120V	 DRY 
	D42 A19 A 00	LED 120V 12x2W-120° 3000K 2400 Cri >80	 DRY 



D42 A09 A 00

G4 120V




D42 A21 A 00

LED 120V
12x2W-120°
3000K
4800 Cri >80



D42 A11 A 00

G4 120V




D42 A23 A 00

LED 120V
12x2W-120°
3000K
4800 Cri >80



D42 A13 A 00

G4 120V



D42 A25 A 00

LED 120V
12x2W-120°
3000K
7200 Cri >80

