

Sospesa

D42A17A00

Paolo De Lucchi - Lisa Bellon




Fixture Type

Project Name



Dimensions



Description

Pendant lamp with extra clear tempered flat glass, with a thickness of 15 mm, milled for the 12V circuit housing.

Voltage

120V

Dimmable

TRIAC

Specs



DRY



Material

Glass - Metal

Color

Transparent

Other colors available

Check online www.fabbian.us

Light source

LED 12x2W-120°
3000K
1200 Cri >80

Notes

Power only 120Vac led dimmable 20%-100%

Included accessories

LED
Magnetic transformer

In the same family





















Wall round

Wall square

Sospesa D42


Other options

	code	electrification	technical info
	D42 A01 A 00	G4 120V	 DRY 
	D42 A15 A 00	LED 120V 12x2W-120° 3000K 1200 Cri >80	 DRY 
	D42 A03 A 00	G4 120V	 DRY 
	D42 A17 A 00	LED 120V 12x2W-120° 3000K 1200 Cri >80	 DRY 
	D42 A05 A 00	G4 120V	 DRY 
	D42 A19 A 00	LED 120V 12x2W-120° 3000K 2400 Cri >80	 DRY 



D42 A09 A 00

G4 120V




D42 A21 A 00

LED 120V
12x2W-120°
3000K
4800 Cri >80



D42 A11 A 00

G4 120V




D42 A23 A 00

LED 120V
12x2W-120°
3000K
4800 Cri >80



D42 A13 A 00

G4 120V



D42 A25 A 00

LED 120V
12x2W-120°
3000K
7200 Cri >80

