

Multispot


F32A01A00

Nanne de Ru / Marc Sadler / Flynn Talbot




Fixture Type

Project Name



Dimensions



Description

Pendant lamp with transparent borosilicate glass diffuser with internal cylinder in plastic material. Anodized aluminium structure and white painted canopy.

Fixture includes:

1 x F32L01 00 - 60" / (150cm) Pendant

Voltage

120-277V

Specs



DAMP

Light source

LED 1x2.1W-10°
2700K
200 CRI >80

Material

Pyrex® glass - Aluminum

Color

Transparent

Notes

For dimming options when using multiple pendants, please contact Fabbian USA.

Fixture includes (1) 5' pendant. Pendant heights can be field adjusted. To specify longer heights visit **Multispot Tooby F32 Custom**.

Other colors available

Check online www.fabbian.us

Included accessories

LED
Non-dimming electronic driver.










In the same family



Beluga

Multispot F32


Other options

	code	electrification	technical info
 <p>Tooby</p> 	F32 A01 A 00	LED 120-277V 1x2.1W-10° 2700K 200 Cri >80	 DAMP
 	F32 A02 A 00	LED 120V 5x2.1W-10° 2700K 1000 Cri >80	 DAMP
 	F32 A03 A 00	LED 120V 10x2.1W-10° 2700K 2000 Cri >80	 DAMP




F32 A04 A 00

LED 120V
20x2.1W-10°
2700K
4000 Cri >80




F32 A05 A 00

LED 120V
30x2.1W-10°
2700K
6000 Cri >80



F32 A06 A 00


LED 120-277V
1x2.1W-10°
2700K
200 Cri >80






F32 A07 A 00

LED 120V
5x2.1W-10°
2700K
1000 Cri >80




F32 A08 A 00

LED 120V
10x2.1W-10°
2700K
2000 Cri >80



F32 A09 A 00


LED 120V
20x2.1W-10°
2700K
4000 Cri >80






F32 A10 A 00

LED 120V
30x2.1W-10°
2700K
6000 Cri >80




F32 A80 A 00

LED 120-277V
1x2.1W-10°
2700K
200 Cri >80



F32 A81 A 00

LED 120V
1x2.1W-10°
2700K
1000 Cri >80





F32 A82 A 00

LED 120V
5x2.1W-10°
2700K
2000 Cri >80

