

Freeline

F44L04A02

Flynn Talbot




Fixture Type

Project Name



Dimensions



Description

A black aluminium spot light with a lens with electrification on mains voltage for LEDs.

Voltage

24Vdc

Dimmable

0-10V

Specs



DRY



Material

Aluminium

Light source

LED 1x8W-10°
2700K
934lm Cri >90

Color

■ Black

Notes

Cable 393"
System compatible with the following Lutron 24V Drivers
96W HiLume Premier L3D0 24V Const Voltage PWM 0.1% and SoftOn/FadeToBlack
49W Hi-Lume 1% Dimming (2-wire Forward Phase) LTE

Included accessories

LED

Not included accessories

Component Only as part of system; Drivers, System Connectors Not Included. Reference www.fabbian.us for drivers, connectors, and other system options

Weight Lamp














Net: 1.26 lb


Packaging




Gross weight: 1.59 lb
Volume: 0.18 ft³
Number of boxes: 1

Freeline F44

Other options

	code		electrification	technical info
	F44 L01	02	LED 24Vdc 1x8W-10° 3000K 934lm Cri >90	  
	F44 L03	02	LED 24Vdc 1x8W-10° 2700K 934lm Cri >90	  
	F44 L02	02	LED 24Vdc 1x8W-10° 3000K 934lm Cri >90	  
	F44 L11	02	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	  
	F44 L13	02	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	  
	F44 L04	02	LED 24Vdc 1x8W-10° 2700K 934lm Cri >90	  
	F44 L12	02	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	  
	F44 L21	02	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	  
	F44 L23	02	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	  
	F44 L14	02	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	  



F44 L22	02	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	 DRY 
F44 L24	02	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	 DRY 