

Freeline F44L13A02

Flynn Talbot



Fixture Type
Project Name



Description

Black aluminium spotlight with methacrylate diffuser with electrification on mains voltage for LEDs.

Voltage
24Vdc

Dimmable
0-10V

Specs



DRY



Material
Aluminium

Light source

LED 1x8W-120°
2700K
934lm Cri >90

Color

■ Black

Notes

Cable 157"
System compatible with the following Lutron 24V Drivers
96W HiLume Premier L3D0 24V Const Voltage PWM 0.1% and SoftOn/FadeToBlack
49W Hi-Lume 1% Dimming (2-wire Forward Phase) LTE

Included accessories

LED

Not included accessories

Component Only as part of system; Drivers,
System Connectors Not Included.
Reference www.fabbian.us for drivers,
connectors, and other system options


Weight Lamp

Net: 0.95 lb

Packaging











Gross weight: 1.3 lb
Volume: 0.14 ft³
Number of boxes: 1




Dimensions



Freeline F44

Other options

	code	electrification	technical info
 	F44 L01 02	LED 24Vdc 1x8W-10° 3000K 934lm Cri >90	  
	F44 L03 02	LED 24Vdc 1x8W-10° 2700K 934lm Cri >90	  
	F44 L02 02	LED 24Vdc 1x8W-10° 3000K 934lm Cri >90	  
 	F44 L11 02	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	  
	F44 L13 02	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	  
	F44 L04 02	LED 24Vdc 1x8W-10° 2700K 934lm Cri >90	  
 	F44 L21 02	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	  
	F44 L23 02	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	  
	F44 L14 02	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	  

F44 L22	02	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	 DRY 
F44 L24	02	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	 DRY 