

Freeline
F44L23A02


Flynn Talbot



Fixture Type
Project Name



Dimensions



Description

White glazed blown-glass globe with electrification on mains voltage for LEDs.

Voltage
24Vdc

Dimmable
0-10V

Specs




Material
Glass - Aluminium

Light source

LED 1x8W-120°
2700K
934lm Cri >90

Color
 Black

Notes

Cable 157"
System compatible with the following Lutron 24V Drivers
96W HiLume Premier L3D0 24V Const Voltage PWM 0.1% and SoftOn/FadeToBlack
49W Hi-Lume 1% Dimming (2-wire Forward Phase) LTE

Included accessories
LED



















Not included accessories
Component Only as part of system; Drivers, System Connectors Not Included. Reference www.fabbian.us for drivers, connectors, and other system options




Weight Lamp
Net: 1.3 lb

Packaging
Gross weight: 1.61 lb
Volume: 0.28 ft³
Number of boxes: 1

Freeline F44

Other options

	code	electrification	technical info
 	F44 L01 02	LED 24Vdc 1x8W-10° 3000K 934lm Cri >90	  
	F44 L03 02	LED 24Vdc 1x8W-10° 2700K 934lm Cri >90	  
	F44 L02 02	LED 24Vdc 1x8W-10° 3000K 934lm Cri >90	  
 	F44 L11 02	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	  
	F44 L13 02	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	  
	F44 L04 02	LED 24Vdc 1x8W-10° 2700K 934lm Cri >90	  
 	F44 L12 02	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	  
	F44 L21 02	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	  
	F44 L23 02	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	  
	F44 L14 02	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	  

F44 L22	02	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	 DRY 
F44 L24	02	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	 DRY 