

**Freeline**  
**F44L24A02**


*Flynn Talbot*



Fixture Type  
Project Name



**Dimensions**



**Description**

White glazed blown-glass globe with electrification on mains voltage for LEDs.

**Voltage**  
24Vdc

**Dimmable**  
0-10V

**Specs**  




**Material**  
Glass - Aluminium

**Light source**

LED 1x8W-120°  
2700K  
934lm Cri >90

**Color**  
 Black

**Notes**

Cable 393"  
System compatible with the following Lutron 24V Drivers  
96W HiLume Premier L3D0 24V Const Voltage PWM 0.1% and SoftOn/FadeToBlack  
49W Hi-Lume 1% Dimming (2-wire Forward Phase) LTE

**Included accessories**  
LED























**Not included accessories**  
Component Only as part of system; Drivers, System Connectors Not Included. Reference [www.fabbian.us](http://www.fabbian.us) for drivers, connectors, and other system options




**Weight Lamp**  
Net: 1.46 lb

**Packaging**  
Gross weight: 1.84 lb  
Volume: 0.28 ft<sup>3</sup>  
Number of boxes: 1

# Freeline F44

## Other options

	code	electrification	technical info
  	<b>F44 L01</b> <b>02</b>	LED 24Vdc 1x8W-10° 3000K 934lm Cri >90	  
	<b>F44 L03</b> <b>02</b>	LED 24Vdc 1x8W-10° 2700K 934lm Cri >90	  
	<b>F44 L02</b> <b>02</b>	LED 24Vdc 1x8W-10° 3000K 934lm Cri >90	  
  	<b>F44 L11</b> <b>02</b>	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	  
	<b>F44 L13</b> <b>02</b>	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	  
	<b>F44 L04</b> <b>02</b>	LED 24Vdc 1x8W-10° 2700K 934lm Cri >90	  
  	<b>F44 L12</b> <b>02</b>	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	  
	<b>F44 L21</b> <b>02</b>	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	  
	<b>F44 L23</b> <b>02</b>	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	  
	<b>F44 L14</b> <b>02</b>	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	  

<b>F44 L22</b>	<b>02</b>	LED 24Vdc 1x8W-120° 3000K 934lm Cri >90	 <b>DRY</b> 
<b>F44 L24</b>	<b>02</b>	LED 24Vdc 1x8W-120° 2700K 934lm Cri >90	 <b>DRY</b> 