

## Olympic F45A23A76

Lorenzo Truant




Fixture Type  
Project Name



### Description

Pendant lamp with bronze anodised aluminium structure and plastic material diffuser.

### Dimensions



**Voltage**  
120V/24V


**Dimmable**  
0-10V

**Specs**  
 **DRY**

**Material**  
Aluminium - Plastic

### Light source

LED 1x65W-120°  
2700K delivered  
6120 delivered lumens Cri 90+

**Color**  
 Bronze

### Notes


Replaces Model F45A03 A 76  
277V, 0-10V Dimming available

**Other colors available**  
Check online [www.fabbian.us](http://www.fabbian.us)

### Included accessories

LED  
0-10V Dimmable electronic driver

### In the same family


















**Weight Lamp**  
Net: 0 lb

**Packaging**  
Gross weight: 0 lb  
Volume: 0 ft<sup>3</sup>  
Number of boxes:

# Olympic F45

Other options

24"	code	color	electrification	technical info	
 	<b>F45A27 A 01</b> Replaces Model F45A07 A 01	White	LED 120V x36W-120°	 DRY	
	<b>F45A27 A 76</b> Replaces Model F45A07 A 76	Bronze	2700K delivered 3260 delivered lumens Cri 90+ 0-10V Dimming		
	<b>F45A62 A 01</b> <b>F45A62 A 76</b>	White Bronze	LED 120V/24V 1x36W-120° 3200K delivered 3260 delivered lumens Cri 90+ 0-10V Dimming	 DRY	
	<b>F45A42 A 01</b> <b>F45A42 A 76</b>	White Bronze	LED 120V/24V 1x36W-120° 3700K delivered 3260 delivered lumens Cri 90+ 0-10V Dimming	 DRY	
 	<b>F45A21 A 01</b> Replaces Model F45A01 A 01	White	LED 120V/24V x48W-120°	 DRY	
	<b>F45A21 A 76</b> Replaces Model F45A01 A 76	Bronze	2700K delivered 4475 delivered lumens Cri 90+ 0-10V Dimming		
	<b>F45A61 A 01</b> <b>F45A61 A 76</b>	White Bronze	LED 120V/24V x48W-120° 3200K delivered 4475 delivered lumens Cri 90+ 0-10V Dimming	 DRY	
	<b>F45A41 A 01</b> <b>F45A41 A 76</b>	White Bronze	LED 120V/24V x48W-120° 3700K delivered 4475 delivered lumens Cri 90+ 0-10V Dimming	 DRY	
 	<b>F45A23 A 01</b> Replaces Model F45A03 A 01	White	LED 120V/24V x65W-120°	 DRY	
	<b>F45A23 A 76</b> Replaces Model F45A03 A 76	Bronze	2700K delivered 6120 delivered lumens Cri 90+ 0-10V Dimming		
	<b>F45A63 A 01</b> <b>F45A63 A 76</b>	White Bronze	LED 120V/24V x65W-120° 3200K delivered 6120 delivered lumens Cri 90+ 0-10V Dimming	 DRY	
	<b>F45A43 A 01</b> <b>F45A43 A 76</b>	White Bronze	LED 120V/24V x65W-120° 3700K delivered 6120 delivered lumens Cri 90+ 0-10V Dimming	 DRY	


54 1/2"

code

color

electrification

technical info

**F45A25 A 01**

Replaces Model F45A05 A 01

White

LED 120V/24V

**F45A25 A 76**

Replaces Model F45A05 A 76

Bronze

x83W-120°  
2700K delivered  
7900 delivered lumens Cri 90+  
0-10V Dimming**F45A64 A 01****F45A64 A 76**

White

Bronze

LED 120V/24V

1x83W-120°


3200K delivered  
7900 delivered lumens Cri 90+  
0-10V Dimming**F45A44 A 01****F45A44 A 76**

White

Bronze

LED 120V/24V

1x83W-120°

3700K delivered  
7900 delivered lumens Cri 90+  
0-10V Dimming**F45A31 A 01**

Replaces Model F45A11 A 01

White

LED UNV 120V-277V/24V

**F45A31 A 76**

Replaces Model F45A11 A 76

Bronze

x196W-120°  
2700K delivered  
18495 delivered lumens Cri 90+  
0-10V Dimming**F45A65 A 01****F45A65 A 76**

White

Bronze

LED UNV 120V-277V/24V

x196W-120°

3200K delivered  
18495 delivered lumens Cri 90+  
0-10V Dimming**F45A45 A 01****F45A45 A 76**

White

Bronze

LED UNV 120V-277V/24V

x196W-120°

3700K delivered  
18495 delivered lumens Cri 90+  
0-10V Dimming