

Olympic F45G21A76


Lorenzo Truant



Fixture Type
Project Name



Dimensions



Description

Wall/ceiling lamp with bronze anodised aluminium structure and plastic material diffuser.

Voltage
120V/24V


Dimmable
0-10V

Specs
 **DRY**

Material
Aluminium - Plastic

Light source

LED 120V/24V
x36W-120°
2700K delivered
3260 delivered lumens

Color
 Bronze

Notes

Replaces Model F45G01 A 76

277V, 0-10V Available

Other colors available
Check online www.fabbian.us

Included accessories

LED
0-10V Dimmable electronic driver

In the same family



Pendant

Multiple
pendant

Weight Lamp
















Net: 0 lb

Packaging


Gross weight: 0 lb
Volume: 0 ft³
Number of boxes:

Olympic F45

Other options

| 24" | code | color | electrification | technical info |
|--|---|--------|---|---|
|   | F45 G21 A 01 Replaces Model F45G01 A 01 | White | LED 120V/24V x36W-120° |  DRY |
| | F45 G21 A 76 Replaces Model F45G01 A 01 | Bronze | 2700K delivered 3260 delivered lumens Cri 90+ 0-10V Dimming | |
| | F45 G62 A 01 | White | LED 120V/24V 1x36W-120° |  DRY |
| | F45 G62 A 76 | Bronze | 3200K delivered 3260 delivered lumens Cri 90+ 0-10V Dimming | |
| | F45 G42 A 01 | White | LED 120V/24V 1x36W-120° |  DRY |
| | F45 G42 A 76 | Bronze | 3700K delivered 3260 delivered lumens Cri 90+ 0-10V Dimming | |
|   | F45 G23 A 01 Replaces Model F45G03 A 01 | White | LED 120V/24V x48W-120° |  DRY |
| | F45 G23 A 76 Replaces Model F45G03 A 01 | Bronze | 2700K delivered 4475 delivered lumens Cri 90+ 0-10V Dimming | |
| | F45 G61 A 01 | White | LED 120V/24V x48W-120° |  DRY |
| | F45 G61 A 76 | Bronze | 3200K delivered 4475 delivered lumens Cri 90+ 0-10V Dimming | |
| | F45 G41 A 01 | White | LED 120V/24V x48W-120° |  DRY |
| | F45 G41 A 76 | Bronze | 3700K delivered 4475 delivered lumens Cri 90+ 0-10V Dimming | |
|   | F45 G25 A 01 Replaces Model F45G05 A 01 | White | LED 120V/24V x65W-120° |  DRY |
| | F45 G25 A 76 Replaces Model F45G05 A 01 | Bronze | 2700K delivered 6120 delivered lumens Cri 90+ 0-10V Dimming | |
| | F45 G63 A 01 | White | LED 120V/24V x65W-120° |  DRY |
| | F45 G63 A 76 | Bronze | 3200K delivered 6120 delivered lumens Cri 90+ 0-10V Dimming | |
| | F45 G43 A 01 | White | LED 120V/24V x65W-120° |  DRY |
| | F45 G43 A 76 | Bronze | 3700K delivered 6120 delivered lumens Cri 90+ 0-10V Dimming | |

54 1/2"



code

color

electrification

technical info

F45 G27 A 01

Replaces Model F45G07 A 01

White

LED 120V/24V



F45 G27 A 76

Replaces Model F45G07 A 01

Bronze

x83W-120°

2700K delivered

7900 delivered lumens Cri 90+

0-10V Dimming

F45 G64 A 01

F45 G64 A 76

White

Bronze

LED 120V/24V



1x83W-120°

3200K delivered

7900 delivered lumens Cri 90+

0-10V Dimming

F45 G44 A 01

F45 G44 A 76

White

Bronze

LED 120V/24V



1x83W-120°

3700K delivered

7900 delivered lumens Cri 90+

0-10V Dimming