:Fabbian

Lens F46A05A14

Lucie Koldova



Fixture Type

Project Name

Description

Pendant lamp with white painted aluminium structure and iron lens. The lens undergoes an oxidation process inducted by flame and it is followed by brushing, sponging, polishing and sanding.

Voltage



Light source


LED 3x26W-35° 3000K 7200lm Cri >92

Notes

Included accessories LED Dimmable electronic driver



Dimensions



Material

Aluminum - Iron

Color

Satin-finish burnished

Other colors available Check online www.fabbian.us

In the same family



Pictures, descriptions, dimensions and technical data have to be considered as purely indicative. While maintaining the basic characteristics of the product, the manufacturer reserves the right to make modifications at any time with the sole aim of improvement.

Lens F46


Other options

	code	electrification	technical info
	F46 A01 A 14 F46 A01 A 56 F46 A01 A 76	LED 120V x26W-35° 3000K 2400lm Cri >92	- DRY
	F46 A03 A 14 F46 A03 A 56 F46 A03 A 76	LED 120V x26W-35° 3000K 2400lm Cri >92	- DRY
	F46 A05 A 14 F46 A05 A 56 F46 A05 A 76 F46 A05 A 99	LED 120V x26W-35° 3000K 7200Im Cri >92	DRY

Fabbian Usa Corp. | 307 W 38th St Ste 1103, New York, NY 10018 (USA) | ph. +1 646 518 4160 | fax +1 646 518 4180 | www.fabbian.us | usa@fabbian.com canada@fabbian.com

Pictures, descriptions, dimensions and technical data have to be considered as purely indicative. While maintaining the basic characteristics of the product, the manufacturer reserves the right to make modifications at any time with the sole aim of improvement.

F46 A07 A F46 A07 A F46 A07 A F46 A07 A	56 76	LED 120V x26W-35° 3000K 7200lm Cri >92	. DRY
F46 A07 A F46 A07 A	56 76	x26W-35° 3000K	Drivertek DRY



·