

 Fabbian

Fabbian Decorative

F45 OLYMPIC





Company overview.


Established in 1961 in the Venetian countryside, Fabbian is one of the premier Italian lighting manufacturers operating in the modern design market, designing and manufacturing lighting fixtures for residential and commercial markets.

This history, combined with traditional Italian craftsmanship and the finest quality, keeps Fabbian a prominent brand that is internationally recognized in the architectural and design communities worldwide.

Company overview.

The endless research on new materials, trends, and aesthetics has always been combined with market demands and new business opportunities.

From the very beginning to the design application, the product life cycle is strictly controlled to make sure that each light fixture meets the highest quality expectations and safety requirements.



These components give Fabbian products a vast and diversified array of inspirations and styles, which is also ensured by yearly prestigious collaborations with well-renowned and emerging designers.



North America.

With over 20 years in North America, Fabbian USA offices are located in the world's capital of design, **New York City**, just blocks from Time Square.

COMPANY PROFILE

Company structure.

Proudly headquartered in Castelmino di Resana, in the **Venetian Countryside**, the company has an international outreach.

From **Venice**, it manages directly the European region, while it distributes the products through agents or importers in the other macro-geographical areas (Greater China, Russia, South and East Asia, South America, GCC countries, Northern Africa).



Designers.

Fabbian has collaborated with some of the most prestigious designers throughout the world to create unique elements for your home and business.



A. SAGGIA &
V. SOMMELLA



AFRA E TOSIA
SCARPA



ALBERTO APOSTOLI



ALBERTO TORSELLO



FORMFJORD



FRANCESCO
LUCCHESI



GIAMPIERO DERAÏ



GIAN PAOLO CANOVA



MATALI CRASSET



MATHIEU
LEHANNÉUR



NICOLA DESIGN



NICOLA GARDIN-
ROGER ZANÓN



ALESSANDRA
BALDERESCHI



ALI SIAHVOSHI



BARTEK MEJOR



BENJAMIN HUBERT



GIGI ROSSI



GIO MINELLI



GUILLAUME
DELVIGNE



J. DELLA FONTANA
DZU



PAMIO DESIGN



PAOLO DE LUCCHI



PELLEGRINI+MENGATO
DESIGN



PIOSTITO TOSO



BRIDGEWELL
CONSULTING LTD



CONSTANCE GUISSSET



D. BUSATO &
G. GICCARÈSE



DESIGNZAGATO



KARIM RASHID



LAGRANJA DESIGN



LORENZO TRUANT



LUCA SCACCHETTI



PROSPERO RASULO



RENATO MONTAGNER



STUDIO FUTURA



TIZIANO MAFFIONE



DOMPIER&PISONI



FE DESIGN



FEDERICA BUSANI



FLYNN TALBOT



LUCIE KOLDOVA



MARC SADLER



MARY PAVIN



MASSIMO&MARZIA
SACCONI



VIM & VIGOR



VITTORIO MASSIMO



Trade Shows & Events.

Fabbian takes part in the world's most relevant trade show dedicated to light, EUROLUCE, in Milan, every two years, with a massive booth to showcase new collections and best seller products. Other important dates in the Fabbian's calendar are Stockholm Furniture & Light Fair, WantedDesign Manhattan, and Sleep London.



FABBIAN BREADTH OF LINE 2022


FABBIAN CUSTOM



Customizable &
Unique Art & Large
scale products

Client Specific
Custom Fixture
Development



FABBIAN DECORATIVE



Both Glass and Non-
Glass Feature
Elements.

Varying Styles,
uniquely Italian for
the specified project

FABBIAN TECH



Italian Architectural
Downlights, Linear, &
Systems

F45 OLYMPIC

The **Olympic** series, designed by Lorenzo Truant and inspired by the Olympic rings, offers thin, delicate rings of light.

The ethereal rings provide countless solutions for both residential and commercial applications.

Offered in suspension and surface mounts forms and custom configurations, with choice of finishes, diameters, and color temperatures.



F45 OLYMPIC



Olympic's rings are offered in 4 diameters in surface or suspension mount as well as custom configurations.

The rings can be suspended individually or grouped together and interconnected. This allows the creation of large-scale yet light-weight (visually and physically) installations. Making Olympic an ideal solution for grand scale spaces.



F45 OLYMPIC - Key Features



Key Specification Details

- Provides diffused direct and indirect illumination
- Minimal profile and elegant design
- Aluminum construction with white plastic lens
- LEDs run along exterior of rings
- Rings open for interconnecting
- Lightweight - visually and physically
- White or bronze finish
- 4 diameters: 23.7", 31.5", 43" and 54.5"
- Custom options - including configurations
- 120/277V Universal voltage
- 2700K, 3200K or 3700K delivered color temperatures
- CRI 90+
- 0-10V dimming
- Custom configurations are compatible with select Lutron drivers

F45 OLYMPIC - Models




F45 OLYMPIC - Models

Low profile LED pendants with aluminum structures and plastic diffusers. Pendants are suspended from multiple cable ceiling supports that are independent of the canopies. Heights can be easily adjusted using cable locks. Pendants can be suspended horizontally or various angles as well as interconnected to form unique shapes and original compositions.. Floating canopy provides mounting flexibility.

White or bronze finish. Choice of 2700K, 3200K, or 3700K delivered color temperatures. CRI 90+.
120-277V (UNV) 0-10V dimming.


24" D

11x36W - 120 °
4500 Initial Lumens
F45 A27A 01 - White / 2700K
F45 A27A 76 - Bronze / 2700K
F45 A62A 01 - White / 3200K
F45 A62A 76 - Bronze / 3200K
F45 A42A 01 - White / 3700K
F45 A42A 76 - Bronze / 3700K




31.5" D

1x48W - 120 °
6000LM Initial Lumens
F45 A21A 01 - White / 2700K
F45 A21A 76 - Bronze / 2700K
F45 A61A 01 - White / 3200K
F45 A61A 76 - Bronze / 3200K
F45 A41A 01 - White / 3700K
F45 A41A 76 - Bronze / 3700K




43" D

1x65W - 120 °
8250 Initial Lumens
F45 A23A 01 - White / 2700K
F45 A23A 76 - Bronze / 2700K
F45 A63A 01 - White / 3200K
F45 A63A 76 - Bronze / 3200K
F45 A43A 01 - White / 3700K
F45 A43A 76 - Bronze / 3700K




55" D




1x83W - 120 °
10600 Initial Lumens
F45 A25A 01 - White / 2700K
F45 A25A 76 - Bronze / 2700K
F45 A64A 01 - White / 3200K
F45 A64A 76 - Bronze / 3200K
F45 A44A 01 - White / 3700K
F45 A44A 76 - Bronze / 3700K



The diagram illustrates the installation of the J-BOX and the connection of the LED strip light. The main view shows the LED strip light with numbered callouts (01-06) indicating the connection points. The inset shows the J-BOX wiring, including the F-N (F-N) and DIMMER connections, and the cable red (+) and cable black (-) connections.




F45 OLYMPIC - Installation Details Remote Mount Canopy



WIRING INSTRUCTIONS

- 1 - Strip the wire coming from the junction box and from the fixture, twist them together with the white wires, insert a connector and twist tightly
- 2 - Do the same procedure for the black wire
- 3 - If the cable coming from the structure is flat, strip the lined or rubbed wire, twist it with the white wire, insert a connector and twist tightly
- 4 - Strip the yellow and green ground wire, twist them together, insert a connector and twist tightly
- 5 - If the junction box has no ground wire, connect the fixture wire to the cross bar wires
- 6 - If the cross bar has no ground wire, connect the fixture wire to the yellow screws present

F45 OLYMPIC - Wiring Detail



F45 OLYMPIC - Models

Pendants

The 3 ring Olympic pendant offers a sculptural appearance as well as generous amounts of diffused illumination. The rings are powered by a central canopy with driver and are suspended from independent cable ceiling connectors. Suspend the rings at various angles and heights to create an infinite number of different looks.

120-277V (UNV) 0-10V dimming.

Choice of 2700K, 3200K or 3700K delivered color temperatures.

LED SPECS:

- 1 x 31.6"D - 48W 120V 6000 initial lumens CRI 90+ LED
- 1 x 42.75"D - 65W 120V 8250 initial lumens CRI 90+ LED
- 1 x 54.6"D - 83W 120V 10600 initial lumens CRI 90+ LED

Model Numbers:

F45 A31A 01 - White / 2700K


F45 A31A 76 - Bronze / 2700K

F45 A65A 01 - White / 3200K

F45 A65A 76 - Bronze / 3200K




F45 A45A 01 - White / 3700K

F45 A45A 76 - Bronze / 3700K



F45 OLYMPIC - Installation Details

Surface Mount Canopy




WIRING INSTRUCTIONS


- 1 - Strip the wire coming from the junction box and from the fixture, twist them together with the white wires, insert a connector and twist tightly
- 2 - Do the same procedure for the black wire
- 3 - If the cable coming from the structure is flat, strip the lined or rubbed wire, twist it with the white wire, insert a connector and twist tightly
- 4 - Strip the yellow and green ground wire, twist them together, insert a connector and twist tightly
- 5 - If the junction box has no ground wire, connect the fixture wire to the cross bar wires
- 6 - If the cross bar has no ground wire, connect the fixture wire to the yellow screws present

F45 OLYMPIC - Installation Details

Remote Mount Canopy




F45 OLYMPIC - Wiring Detail



F45 OLYMPIC



F45 OLYMPIC - Models




F45 OLYMPIC - Models


Low profile LED wall or ceiling mounted fixtures with aluminum structures and plastic diffusers. Includes surface mount canopy with driver.

White or bronze finish. Choice of 2700K, 3200K, or 3700K delivered color temperatures. CRI 90+.
120-277V (UNV) 0-10V dimming.


24" D
11x36W - 120 °
4500 Initial Lumens
F45 G21A 01 - White / 2700K
F45 G21A 76 - Bronze / 2700K
F45 G62A 01 - White / 3200K
F45 G62A 76 - Bronze / 3200K
F45 A42A 01 - White / 3700K
F45 A42A 76 - Bronze / 3700K




31.5" D
1x48W - 120 °
6000LM Initial Lumens
F45 G23A 01 - White / 2700K
F45 G23A 76 - Bronze / 2700K
F45 G61A 01 - White / 3200K
F45 G61A 76 - Bronze / 3200K
F45 G41A 01 - White / 3700K
F45 G41A 76 - Bronze / 3700K



43" D
1x65W - 120 °
8250 Initial Lumens
F45 G25A 01 - White / 2700K
F45 G25A 76 - Bronze / 2700K
F45 G63A 01 - White / 3200K
F45 G63A 76 - Bronze / 3200K
F45 G43A 01 - White / 3700K
F45 G43A 76 - Bronze / 3700K




55" D
1x83W - 120 °
10600 Initial Lumens
F45 G27A 01 - White / 2700K
F45 G27A 76 - Bronze / 2700K
F45 G64A 01 - White / 3200K
F45 G64A 76 - Bronze / 3200K
F45 G44A 01 - White / 3700K
F45 G44A 76 - Bronze / 3700K




F45 OLYMPIC



F45 OLYMPIC - Installation Details



F45 OLYMPIC - Wiring Detail



F45 OLYMPIC




F45 OLYMPIC




F45 OLYMPIC Custom

Olympic F45 Custom gives the designer the reigns. The pendant system offers configurable options as well as entirely custom possibilities. Create cascading rings of light by suspending multiple rings from a single canopy or creating vast visual landscapes by independently mounting the individual support cables.

To configure a chandelier - choose the number and diameter of rings, then select the appropriate driver and canopy. Or choose to create a completely custom vision. Custom possibilities include recessed canopy, fixture mounting types, custom finishes, color temperature, ring size - up to 30ft, and custom shapes.





F45 OLYMPIC Custom




Create precise symmetric patterns or take a more independent approach.

Simple adjustments to ring order and installation angle can create completely different looks. Olympic Custom offers endless possibilities.




F45 OLYMPIC Custom




F45 OLYMPIC Custom - Components

Ring Only Components - Includes Olympic ring and support cables. Canopy/driver are required and sold separately.


24" D
11x36W - 120 °
4500 Initial Lumens
F45 A27V 01 - White / 2700K
F45 A27V 76 - Bronze / 2700K
F45 A62V 01 - White / 3200K
F45 A62V 76 - Bronze / 3200K
F45 A42V 01 - White / 3700K
F45 A42V 76 - Bronze / 3700K




31.5" D
1x48W - 120°
6000LM Initial Lumens
F45 A21V 01 - White / 2700K
F45 A21V 76 - Bronze / 2700K
F45 A61V 01 - White / 3200K
F45 A61V 76 - Bronze / 3200K
F45 A41V 01 - White / 3700K
F45 A41V 76 - Bronze / 3700K



43" D
1x65W - 120°
8250 Initial Lumens
F45 A23V 01 - White / 2700K
F45 A23V 76 - Bronze / 2700K
F45 A63V 01 - White / 3200K
F45 A63V 76 - Bronze / 3200K
F45 A43V 01 - White / 3700K
F45 A43V 76 - Bronze / 3700K



55" D
1x83W - 120°
10600 Initial Lumens
F45 A25V 01 - White / 2700K
F45 A25V 76 - Bronze / 2700K
F45 A64V 01 - White / 3200K
F45 A64V 76 - Bronze / 3200K
F45 A44V 01 - White / 3700K
F45 A44V 76 - Bronze / 3700K



F45 OLYMPIC Custom - Components

Canopy with Driver

F45A01S 01 - 9" Diameter White canopy with 60W 120V 0-10V dimming Driver

F45A01S 76 - 9" Diameter Bronze canopy with 60W 120V 0-10V dimming Driver

F45A03S 01 - 9" Diameter White canopy with 96W 120V 0-10V dimming Driver

F45A03S 76 - 9" Diameter Bronze canopy with 96W 120V 0-10V dimming Driver

F45A11S 01 - 13" Diameter White canopy with 320W 120-277V(UNV) 0-10V dimming Driver

F45A11S 76 - 13" Diameter Bronze canopy with 320W 120-277V(UNV) 0-10V dimming Driver

Lutron Dimming Driver



LTEA4U1-UKL-CV240 - 49W 24V Class 2 Driver; 120V input



L3D0-96W24V-U - 96W 24V Class 2 Remote Mount Driver; 120-277V (UNV) input; EcoSystem 3Wire

Accessories

- Cover plate for J-Box with hole for input wire (up to 3 wires) for remote canopy installations:
 - **F32 M94A 01** - White cover, 6.25"D, for 4" square box
 - **F32 M94A 02** - Black cover, 6.25"D, for 4" square box
 - **F32 M91A 01** - White cover, 5"D, for 4" octagonal box
 - **F32 M91A 01** - White cover, 5"D, for 4" octagonal box



F45 OLYMPIC - Custom Options

In addition to custom configurations, Olympic offers many other custom possibilities. We have a range of standardized customizations as well as completely custom possibilities including recessed canopies, different mounting types, custom finishes, color temperature, ring size - up to 30ft, and custom shapes.

Olympic surface mount:

- Customized canopy plates to provide signage for commercial projects.
- RAL finishes

Olympic pendants:

- RAL finishes

Contact our team to learn more – sales@fabbian.com



Choose **any RAL Color** to match your project.



Customized canopy plate

F45 OLYMPIC





For more information contact:

Fabbian USA

www.fabbian.us

307 W38th St. Ste 1103

New York, NY 10018 USA

sales@fabbian.com

 **Fabbian**