

:FABBIAN



SANTO

# Santo

## by Atelier Biagetti

Atelier Biagetti presents Santo, an alphabet where material, light, and shapes come together to create endlessly varied compositions—some precise and defined, others more sculptural and expressive. Light flows liquidly, moving from metal to blown glass, shifting in color and softening the boundaries between surfaces. Santo is also a playful system: by simply adding a component, the light can be directed as desired or left to drift freely through space.

Ph. credits Alex Majoli – Magnum Photos





The work of architect and designer Alberto Biagetti and artist Laura Baldassari challenges the boundaries between disciplines. Biagetti and Baldassari draw their inspiration from the world around them, from human behaviour and contemporary society's greatest obsessions. They dissect and deconstruct the functionality of objects to then reconfigure codes that previously seemed permanently sedimented in society. Their work aims to construct an immersive environment full of hints and clues in which the objects that inhabit the space become actors in a possible scene, questioning the space surrounding them and the habits related to it. Atelier Biagetti's include creations for Louis Vuitton, known for the Objets Nomades series, where art and functionality merge seamlessly to becoming pure experience; projects & experiences for Valextra, Adidas and MCM; and avant-garde designs with Gufram, Memphis Milano, and Venini. The studio's creations have been showcased in venues like the Triennale di Milano, Art Basel Design Miami, and galleries in global design capitals such as New York, Paris, Rome and Shanghai.




# Santo

## by Atelier Biagetti

The Santo collection features a configurable system, pendants, wall lights, and floor lamps, and is characterized by the modularity of its elements. The diffusers are made of glass blown on a static mould. All illuminated with 24V dimmable, high-efficiency, flicker-free LED sources.



Pendant




LED 24V - 28W  
2700K or 3000K  
2100lm, CRI 90+  
Dimmable (driver dependent)

IP40  
Net weight: 4.4 lbs

Included: LED  
Not Included:  
Remote dimmable  
electronic driver

- F74 A01A 01 3000K White
- F74 A01A 02 3000K Black
- F74 A01A 07 3000K Pink
- F74 A01A 10 3000K Light blue
- F74 A01A 33 3000K Silver
- F74 A01A 79 3000K Gold
- F74 A02A 01 2700K White
- F74 A02A 02 2700K Black
- F74 A02A 07 2700K Pink
- F74 A02A 10 2700K Light blue
- F74 A02A 33 2700K Silver
- F74 A02A 79 2700K Gold

Pendant




LED 24V - 42W  
2700K or 3000K  
3150lm, CRI 90+  
Dimmable (driver dependent)

IP40  
Net weight: 6.5 lbs

Included: LED  
Not Included:  
Remote dimmable  
electronic driver

- F74 A11A 01 3000K White
- F74 A11A 02 3000K Black
- F74 A11A 07 3000K Pink
- F74 A11A 10 3000K Light blue
- F74 A11A 33 3000K Silver
- F74 A11A 79 3000K Gold
- F74 A12A 01 2700K White
- F74 A12A 02 2700K Black
- F74 A12A 07 2700K Pink
- F74 A12A 10 2700K Light blue
- F74 A12A 33 2700K Silver
- F74 A12A 79 2700K Gold

Pendant




LED 24V - 28W  
2700K or 3000K  
2100lm, CRI 90+  
Dimmable

IP40  
Net weight: 9.9 lbs

Included: LED  
Not Included:  
Remote dimmable  
electronic driver

- |             |       |            |
|-------------|-------|------------|
| F74 A21A 01 | 3000K | White      |
| F74 A21A 02 | 3000K | Black      |
| F74 A21A 07 | 3000K | Pink       |
| F74 A21A 10 | 3000K | Light blue |
| F74 A21A 33 | 3000K | Silver     |
| F74 A21A 79 | 3000K | Gold       |
| F74 A22A 01 | 2700K | White      |
| F74 A22A 02 | 2700K | Black      |
| F74 A22A 07 | 2700K | Pink       |
| F74 A22A 10 | 2700K | Light blue |
| F74 A22A 33 | 2700K | Silver     |
| F74 A22A 79 | 2700K | Gold       |

Pendant




LED 24V - 28W  
2700K or 3000K  
2100lm, CRI 90+  
Dimmable

IP40  
Net weight: 14.8 lbs

Included: LED  
Not Included:  
Remote dimmable  
electronic driver

- |             |       |            |
|-------------|-------|------------|
| F74 A31A 01 | 3000K | White      |
| F74 A31A 02 | 3000K | Black      |
| F74 A31A 07 | 3000K | Pink       |
| F74 A31A 10 | 3000K | Light blue |
| F74 A31A 33 | 3000K | Silver     |
| F74 A31A 79 | 3000K | Gold       |
| F74 A32A 01 | 2700K | White      |
| F74 A32A 02 | 2700K | Black      |
| F74 A32A 07 | 2700K | Pink       |
| F74 A32A 10 | 2700K | Light blue |
| F74 A32A 33 | 2700K | Silver     |
| F74 A32A 79 | 2700K | Gold       |

Pendant




LED 24V - 56W  
2700K or 3000K  
4200lm, CRI 90+  
Dimmable

IP40  
Net weight: 19.6 lbs

Included: LED  
Not Included:  
Remote dimmable  
electronic driver

- |             |       |            |
|-------------|-------|------------|
| F74 A41A 01 | 3000K | White      |
| F74 A41A 02 | 3000K | Black      |
| F74 A41A 07 | 3000K | Pink       |
| F74 A41A 10 | 3000K | Light blue |
| F74 A41A 33 | 3000K | Silver     |
| F74 A41A 79 | 3000K | Gold       |
| F74 A42A 01 | 2700K | White      |
| F74 A42A 02 | 2700K | Black      |
| F74 A42A 07 | 2700K | Pink       |
| F74 A42A 10 | 2700K | Light blue |
| F74 A42A 33 | 2700K | Silver     |
| F74 A42A 79 | 2700K | Gold       |

Pendant



LED 24V - 84W  
2700K or 3000K  
6300lm, CRI 90+  
Dimmable


IP40  
Net weight: 29.1 lbs

Included: LED  
Not Included:  
Remote dimmable  
electronic driver

- |             |       |            |
|-------------|-------|------------|
| F74 A51A 01 | 3000K | White      |
| F74 A51A 02 | 3000K | Black      |
| F74 A51A 07 | 3000K | Pink       |
| F74 A51A 10 | 3000K | Light blue |
| F74 A51A 33 | 3000K | Silver     |
| F74 A51A 79 | 3000K | Gold       |
| F74 A52A 01 | 2700K | White      |
| F74 A52A 02 | 2700K | Black      |
| F74 A52A 07 | 2700K | Pink       |
| F74 A52A 10 | 2700K | Light blue |
| F74 A52A 33 | 2700K | Silver     |
| F74 A52A 79 | 2700K | Gold       |



Pendant



LED 24V - 14W+3W 25°  
2700K or 3000K  
1050lm+377lm, CRI 90+  
Dimmable

IP40  
Net weight: 4.5 lbs

Included: LED  
Not Included: Remote  
dimmable electronic  
driver


- |             |       |            |
|-------------|-------|------------|
| F74 A61A 01 | 3000K | White      |
| F74 A61A 02 | 3000K | Black      |
| F74 A61A 07 | 3000K | Pink       |
| F74 A61A 10 | 3000K | Light blue |
| F74 A61A 33 | 3000K | Silver     |
| F74 A61A 79 | 3000K | Gold       |
| F74 A62A 01 | 2700K | White      |
| F74 A62A 02 | 2700K | Black      |
| F74 A62A 07 | 2700K | Pink       |
| F74 A62A 10 | 2700K | Light blue |
| F74 A62A 33 | 2700K | Silver     |
| F74 A62A 79 | 2700K | Gold       |



Ph. credits Alex Majoli – Magnum Photos



Floor



LED 120V - 42W  
2700K or 3000K  
3150lm, CRI 90+  
Dimm. PUSH


IP40

Net weight: 13.75 lbs

Included: LED, Electronic driver

- F74 C01A 01 3000K White
- F74 C01A 02 3000K Black
- F74 C01A 07 3000K Pink
- F74 C01A 10 3000K Light blue
- F74 C01A 33 3000K Silver
- F74 C01A 79 3000K Gold
- F74 C02A 01 2700K White
- F74 C02A 02 2700K Black
- F74 C02A 07 2700K Pink
- F74 C02A 10 2700K Light blue
- F74 C02A 33 2700K Silver
- F74 C02A 79 2700K Gold

Floor



LED 120V - 56W  
2700K or 3000K  
4200lm, CRI 90+  
Dimm. PUSH


IP40

Net weight: 15.8 lbs

Included: LED, Electronic driver

- F74 C11A 01 3000K White
- F74 C11A 02 3000K Black
- F74 C11A 07 3000K Pink
- F74 C11A 10 3000K Light blue
- F74 C11A 33 3000K Silver
- F74 C11A 79 3000K Gold
- F74 C12A 01 2700K White
- F74 C12A 02 2700K Black
- F74 C12A 07 2700K Pink
- F74 C12A 10 2700K Light blue
- F74 C12A 33 2700K Silver
- F74 C12A 79 2700K Gold

Wall



LED 24V - 6W+3W 25°  
2700K or 3000K  
450lm+377lm, CRI 90+  
Dimmable

IP40


Net weight: 2.8 lbs

Included: LED, remote electronic driver


- F74 D01A 01 3000K White
- F74 D01A 02 3000K Black
- F74 D01A 07 3000K Pink
- F74 D01A 10 3000K Light blue
- F74 D01A 33 3000K Silver
- F74 D01A 79 3000K Gold
- F74 D02A 01 2700K White
- F74 D02A 02 2700K Black
- F74 D02A 07 2700K Pink
- F74 D02A 10 2700K Light blue
- F74 D02A 33 2700K Silver
- F74 D02A 79 2700K Gold





|                                                                                                                                          |                     |             |            |
|------------------------------------------------------------------------------------------------------------------------------------------|---------------------|-------------|------------|
| Accessory                                                                                                                                | 24V - 90W           | F74 Z01A 01 | White      |
|                                                                                                                                          |                     | F74 Z01A 02 | Black      |
|                                                                                                                                          | IP40                | F74 Z01A 07 | Pink       |
|                                                                                                                                          | Net weight: 3.1 lbs | F74 Z01A 10 | Light blue |
|                                                                                                                                          |                     | F74 Z01A 33 | Silver     |
|                                                                                                                                          | Not included: Chain | F74 Z01A 79 | Gold       |
| Note: Ceiling attachment for chain composition for accessible ceilings, maximum load 220 lbs, maximum power of the chain composition 90W |                     |             |            |





|                                                                                                                           |                      |             |            |
|---------------------------------------------------------------------------------------------------------------------------|----------------------|-------------|------------|
| Accessory                                                                                                                 | 24V - 90W            | F74 M01A 01 | White      |
|                                                                                                                           |                      | F74 M01A 02 | Black      |
|                                                                                                                           |                      | F74 M01A 07 | Pink       |
|                                                                                                                           | IP40                 | F74 M01A 10 | Light blue |
|                                                                                                                           | Net weight: 10.6 lbs | F74 M01A 33 | Silver     |
|                                                                                                                           | Not included: Chain  | F74 M01A 79 | Gold       |
| Note: Canopy for chain composition for masonry ceilings, maximum load 220 lbs, maximum power of the chain composition 90W |                      |             |            |



|                                                                                                    |                                                                                                     |                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>Chain</div>  | LED 24V - 8W<br>2700K or 3000K<br>560lm, CRI 90+<br>Dimmable                                        | F74 L01A 01 3000K White<br>F74 L01A 02 3000K Black<br>F74 L01A 07 3000K Pink<br>F74 L01A 10 3000K Light blue<br>F74 L01A 33 3000K Silver<br>F74 L01A 79 3000K Gold<br>F74 L02A 01 2700K White<br>F74 L02A 02 2700K Black<br>F74 L02A 07 2700K Pink<br>F74 L02A 10 2700K Light blue<br>F74 L02A 33 2700K Silver<br>F74 L02A 79 2700K Gold |
|                                                                                                    | IP40<br>Net weight: 9.3 lbs<br><br>Included: LED<br>Not Included: Remote dimmable electronic driver |                                                                                                                                                                                                                                                                                                                                          |

|                                                                                                    |                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>Chain</div>  | LED 24V - 1W<br>2700K or 3000K<br>CRI 90+<br>Dimmable                                                                                                    | F74 L03A 01 3000K White<br>F74 L03A 02 3000K Black<br>F74 L03A 07 3000K Pink<br>F74 L03A 10 3000K Light blue<br>F74 L03A 33 3000K Silver<br>F74 L03A 79 3000K Gold<br>F74 L04A 01 2700K White<br>F74 L04A 02 2700K Black<br>F74 L04A 07 2700K Pink<br>F74 L04A 10 2700K Light blue<br>F74 L04A 33 2700K Silver<br>F74 L04A 79 2700K Gold |
|                                                                                                    | IP40<br>Net weight: 9.3 lbs<br><br>Included: LED<br>Not Included: Remote dimmable electronic driver<br><br>Note: Only the junction discs are illuminated |                                                                                                                                                                                                                                                                                                                                          |

|                                                                                                      |                                                                                                       |                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>Chain</div>  | LED 24V - 15W 2700K or 3000K 1050lm, CRI 90+ Dimmable                                                 | F74 L11A 01 3000K White<br>F74 L11A 02 3000K Black<br>F74 L11A 07 3000K Pink<br>F74 L11A 10 3000K Light blue<br>F74 L11A 33 3000K Silver<br>F74 L11A 79 3000K Gold<br>F74 L12A 01 2700K White<br>F74 L12A 02 2700K Black<br>F74 L12A 07 2700K Pink<br>F74 L12A 10 2700K Light blue<br>F74 L12A 33 2700K Silver<br>F74 L12A 79 2700K Gold |
|                                                                                                      | IP40<br>Net weight: 11.25 lbs<br><br>Included: LED<br>Not Included: Remote dimmable electronic driver |                                                                                                                                                                                                                                                                                                                                          |

|                                                                                                      |                                                                                                                                                            |                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>Chain</div>  | LED 24V - 1W<br>2700K or 3000K<br><br>CRI 90+ Dimmable                                                                                                     | F74 L13A 01 3000K White<br>F74 L13A 02 3000K Black<br>F74 L13A 07 3000K Pink<br>F74 L13A 10 3000K Light blue<br>F74 L13A 33 3000K Silver<br>F74 L13A 79 3000K Gold<br>F74 L14A 01 2700K White<br>F74 L14A 02 2700K Black<br>F74 L14A 07 2700K Pink<br>F74 L14A 10 2700K Light blue<br>F74 L14A 33 2700K Silver<br>F74 L14A 79 2700K Gold |
|                                                                                                      | IP40<br>Net weight: 11.25 lbs<br><br>Included: LED<br>Not Included: Remote dimmable electronic driver<br><br>Note: Only the junction discs are illuminated |                                                                                                                                                                                                                                                                                                                                          |





FABBIAN.US