:FABBIAN

POSILLIPO

Posillipo
by Robert Stadler

Designed by Robert Stadler, Posillipo is a modular lighting system conceived for architectural integration. Electrical cables visually align with the horizontal spacers to form a refined grid that challenges the traditional idea of a pendant.

The system extends seamlessly in multiple directions, allowing designers to create compositions ranging from individual luminaires to expansive lighting installations.

Robert Stadler was born in 1966 in Vienna, Austria. He studied design at IED/Milan and at ENSCI/Paris. In 1992 he cofounded the Radi Designers group which was active until 2008. In 2001 Robert Stadler set up his own design studio in Paris. He works for clients such as Drucker, Fabbian, Ghidini1961, Hermès, Lobmeyr, Thonet and Vitra and also has created a number of limited edition pieces for Carpenters Workshop Gallery. His work is included in several permanent collections amongst which the Centre Georges Pompidou, MAK - Museum for Applied Arts / Contemporary Art in Vienna, MAD Paris, Fondation Cartier pour l'Art contemporain, Fonds National d'Art Contemporain, Kunstmuseen Krefeld and Vitra Design Museum. Stadler also regularly curates exhibitions amongst which QUIZ at Galerie Poirel in Nancy and at MUDAM Luxemburg and Typecasting - An Assembly of Iconic, Forgotten and New Vitra Characters at La Pelota during Milan Design Week 2018. In 2017, You May Also Like: Robert Stadler, his first survey exhibition, was shown at the Kunsthalle im Lipsiusbau in Dresden, Germany. In the same year the Noguchi Museum in New York presented Solid Doubts, his first institutional exhibition in the US in dialogue with Isamu Noguchi's works. Stadler's presence in the US continued in 2022 with Playdate a solo show at The Glass House, New Canaan, Connecticut and START!, a duo presentation with the works of Richard Artschwager at Carpenters Workshop Gallery in NYC.

Posillipo
by Robert Stadler

The Posillipo collection includes pendant, floor, and wall luminaires defined by the modularity of their elements. A sandblasted Pyrex glass diffuser is paired with a structure and electrical cable wrapped in textile braiding, creating a refined and cohesive visual language.

The LED source is available in a dimmable 24V version. All models provide high efficiency and flicker-free illumination.

Posillipo

F75

Robert Stadler

Pendant	LED 24Vdc – 6x3W 2700K or 3000K 1176 lm, CRI 90+ Dimmable IP40 Net weight: 3.3 lbs Included: LED Not included: power supply	F75 A01 YA02 16 3000K Champagne F75 A02 YA02 16 2700K Champagne

variable
19.68"
Ø3.94"

Pendant	LED 24Vdc – 3x3W 2700K or 3000K 588 lm, CRI 90+ Dimmable IP40 Net weight: 2.31 lbs Included: 3 spots, 2 fastening canopies Not included: power supply Note: Horizontal extension for F75 A01 or F75 A02 pendant lamp	F75 L11 YA02 16 3000K Champagne F75 L12 YA02 16 2700K Champagne

variable
19.68"
Ø3.94"

| Pendant	LED 24Vdc – 6x3W 2700K or 3000K 1176 lm, CRI 90+ Dimmable IP40 Net weight: 2.65 lbs Included: 6 spots, 1 fastening canopy Not included: power supply Note: Vertical extension for F75 A01 or F75 A02 pendant lamp	F75 L21 YA02 16 3000K Champagne F75 L22 YA02 16 2700K Champagne

variable
19.68"
Ø3.94"

Pendant	LED 24Vdc – 22x3W 2700K or 3000K 4312 lm, CRI 90+ Dimmable IP40 Net weight: 14.55 lbs Included: LED Not included: power supply	F75 A71 YA02 16 3000K Champagne F75 A72 YA02 16 2700K Champagne

H. 1.57"
min 23.6" - max 78.74"
19.69"
Ø 61.97"

| Pendant	LED 24Vdc – 11x3W 2700K or 3000K 2156 lm, CRI 90+ Dimmable IP40 Net weight: 2.64 lbs Included: LED Not included: power supply Note: Extension for F75 A71 or F75 A72 pendant lamp. Optional accessory; one extension row may be added per fixture.	F75 L71 YA02 16 3000K Champagne F75 L72 YA02 16 2700K Champagne

Ø 61.97"

Posillipo

F75   Robert Stadler

Pendant	LED 24Vdc – 36x3W 2700K or 3000K 7056 lm, CRI 90+ Dimmable IP40 Net weight: 23.8 lbs Included: LED Not included: power supply	F75 A81 YA02 16 3000K Champagne F75 A82 YA02 16 2700K Champagne

Ø 98.74"

|		
Pendant	LED 24Vdc – 18x3W 2700K or 3000K 3528 lm, CRI 90+ Dimmable IP40 Net weight: 5.95 lbs Included: LED Not included: power supply Note: Extension for F75 A81 or F75 A82 pendant lamp. Optional accessory; one extension row may be added per fixture.	F75 L81 YA02 16 3000K Champagne F75 L82 YA02 16 2700K Champagne

Ø 98.74"

Pendant	LED 24Vdc – 52x3W 2700K or 3000K 10192 lm, CRI 90+ Dimmable IP40 Net weight: 34.4 lbs Included: LED Not included: power supply	F75 A91 YA02 16 3000K Champagne F75 A92 YA02 16 2700K Champagne

Ø 141.02"

Pendant	LED 24Vdc – 26x3W 2700K or 3000K 5096 lm, CRI 90+ Dimmable IP40 Net weight: 8.6 lbs Included: LED Not included: power supply Note: Extension for F75 A91 or F75 A92 pendant lamp. Optional accessory; one extension row may be added per fixture.	F75 L91 YA02 16 3000K Champagne F75 L92 YA02 16 2700K Champagne

Ø 141.02"

Posillipo

F75

Robert Stadler

Floor	LED 24Vdc – 23W 2700K or 3000K 1372 lm, CRI 90+ Dimm. PUSH	F75 C01 YA02 16 3000K	Champagne
		F75 C02 YA02 16 2700K	Champagne
	IP40 Net weight: 18.74 lbs		
	Included: LED		
	Note: Black structure		

Floor dimensions: 19.69", 5.31", Ø 3.94", 74.8", 62.2", Ø 11.81"

Wall	LED 24Vdc – 2x3W 2700K or 3000K 392 lm, CRI 90+ Dimmable	F75 D01 YA02 16 3000K	Champagne
		F75 D02 YA02 16 2700K	Champagne
	IP40 Net weight: 1.32 lbs		
	Included: LED Not included: power supply		

Wall dimensions: Ø3.15", 1.57", 30.7", Ø 3.94", 19.69", 2.08"

|			
Spot light	LED 24Vdc – 1x3W 2700K or 3000K 196 lm, CRI 90+ Dimmable	F75 L01 YA02 01 3000K	White
		F75 L02 YA02 01 2700K	White
	IP40 Net weight: .33 lbs		
	Included: LED Not included: power supply		

Spot light dimensions: Ø3.94", 2.09"

Accessory	IP40 Net weight: .33 lbs	F75 K01A 16	Champagne
	Note: Electrical connection kit		

Accessory dimensions: 14.57", Ø .28"

Power supply		
60W, 24VDC Class 2 LED Driver. 120V Input. ELV Dimming. Remote Mount Only.		A50208
96W, 24VDC Class 2 LED Driver. 120V Input. ELV Dimming. Remote Mount Only.		A50209
96W, 24VDC Class 2 LED Driver. 120-277V Input. 0-10V Dimming. Remote Mount Only.		A50210

fabbian.us